

IT7000V/D CVRiSMV



THE GRAND FLAGSHIP
FOSTERS INTRIGUING ELEGANCE
AND INCISIVE SIMPLICITY
FOR POS SOLUTIONS

True-flat!

Emulation Bezel
Dust/water Spill Proof



Refined Elegance Beyond Luxury

CARISMA is Spanish word, it is the same meaning of "CHARISMA" in English, is applied to "a special quality of Leadership that inspires great popular allegiance also charisma. CARISMA series products are designed with total solution and user-friendly in our mind to fulfill your dreams. Sometimes you long for something that is truly greater good. Then CARISMA is closer than you think.

We understand that all traditional POS systems can do POS from normal computer concepts, but not all systems meet your requirements to work in your exacting circumstances which include powerful performance, state-of-the-art design especially for small foot print and some more user-friendly devices. Birch CARISMA is a valued as the desirable system for you.



CARISMA
UNIQUE PERFORMANCE
HIGH TYPING PERFORMANCE
PRIMIPANE

What ever you do, do it with your Style!
The Birch CARISMA all-in-one system is designed for the market where are concerned more about space, high performance, stunning new look that match with your working environment.

It is a good way for you to zoom in on the latest advanced in automation of retail, restaurants, hospitality and even for intergrating credit KYSS at government sectors.

Birch is a designer and manufacturer dedicated to "Perfect and Professional" POS systems for your application with her expertise in bar-ID and POS market.

Besides CARISMA series systems, Birch actually has Estilo Aluminium all-in-one touch systems 12.4" and 12.1" and a series of POS peripherals for your choice.

Join us now and don't miss Estilo and Shine on Birch 100% of the design products and great services. Please visit our website www.birchpos.com to have further information, and contact us by esales@birchpos.com

Excellent Design from the

Motherboard

Large RAM capacity

Birch invested M/B factory and have more control over the M/B technologies.

Now we released the newest M/B (MB-7000) which is industrial PC Level standards(IPC) with long life cycle of supply. IT7000 series systems built-in MB-7000 M/B to assure of high-end performance.

IT7000V supports hybrid storage & mSATA SSD

Ivy bridge Core i M/B with Intel HM70 chipset

Fast and advanced CPU

DDR3 memory:
IT7000V (Ivy bridge) up to 8GB.
IT7000D (D525) up to 4GB.

Large RAM capacity

ATOM D525
Intel NM10 Express

Aluminium heat-sink

PCI-e mini slot

Heat flow solution



PCI-e mini card is the advanced slot on Notebooks to support advanced optional function like Wi-Fi.

"Smart" silent fan built-in.
Quiet running fan (loudness <27db).

IT7000V model specially designed with 3-level variable fan speed adjusted by CPU temperature sensor.

Flow input/output gates designed based on heating volume tested by testing S/W and built-in aluminum alloy blower fan with 2 x ball bearing.



We Know Your

Needs

Birch is one of forerunner in Auto-ID and POS market to offer the state-of-the-art design with small foot print base to meet your applications.


USB



MSR card reader



Adjustable brightness *




* Available on IT7000V model only.


VFD customer display



I/o ports




Ivy bridge



Atom

Buckled type phone jet converter cables for Com ports and supporting 5V / 12V power by jumper setting:

IT7000V all Com ports supported;
IT7000D Com 1 & 2 supported.



Brilliant and Extraordinary

Strengths

SO ELETANT, SO GRAND AND SO SLIM

CARISMA is a state-of-the-art with small foot print design system dedicated to the perfect to meet your working environment. It offers you a fine taste of high-tech and user friendly devices.

HIGH PERFORMANCE AND FLEXIBLE

Ivy Bridge M/B, Intel HM70, one of the highest chipsets in pos market, offering high-end performance; specialized design with low TDP (4.1W only) south bridge and integrated with Pentium 2117U CPU. Atom D525 is available for price-concerned market.

ALUMNIUM MADE TOUCH MONITOR

Sleek and slim aluminum made touch monitor to offer high quality feeling and to meet more rigid demand. Moreover, 15" comes with true flat design bezel.

EASY REPAIRS AND UPGRADES

It is easy for you to repair or upgrade ram and hdd just by opening the rear chassis.



Ordering information

IT7000V 15" or 12" (1024 X 768) CARISMA All-in-one Touch System
Ivy bridge M/B, Pentium 2117U (2M Cache, 1.80 Ghz),
6 X USB, 4 X COM, 1 X LPT, 1 X VGA, 1 X Cash Drawer port
10/100/1000 BASE T.



IT7000D 15" or 12" (1024 X 768) CARISMA All-in-one
Touch System, Dual Core Atom D525 1.8Ghz,
6 X USB, 4 X COM, 1 X LPT, 1 X VGA, 10/100/1000 BASE T.

More Information

- Your Choice For 15" Elo Touch
- Available for 15" LED backlit LCD
- 2.5" SATA SSD or mSATA SSD
- Memory Upgradeable at user's side to 8GB (IT7000V) or 4GB (IT7000D)
- Options: MSR, VFD, WiFi



Specification

| | | | |
|-----------------------|--------------------|---|--|
| Main board | CPU | Intel Mobile Sandy & Ivy Bridge Intel Pentium 2117U 1.8Ghz | Intel Atom Dual Core D525 1.8 Ghz |
| | FSB | 1333/1600 Mhz | 667/ 800 Mhz |
| | Chipset | Intel HM70 | Intel ICH8M |
| | Slot type memory | DDR3 1333 SO-DIMM (1GB TO 8 GB) | DDR3 800 SO-DIMM (1GB TO 4GB) |
| | Expansion | PCI-e mini slot (selective mSATA and PCI-e signal by jumper) | PCI-e mini card |
| Display | Tft lcd size | 12.1" | 15.1" CCFL |
| | Maximum resolution | 1024 x 768 | 1024 x 768 |
| | Brightness | 195 cd/m ² | 250 cd/m ² |
| | Contrast ratio | 400 : 1 | 700 : 1 |
| | Response time | 16ms | 8ms |
| | View angles (h/v) | 90 / 65 | 160 / 160 |
| | Touch panel | five wires resistive | |
| | Tilt angle | 60 ~ 90 degree | |
| Storage Device | | 2.5" SATA (HDD / SSD) mSATA (SSD) | 2.5" SATA (HDD / SSD) Compact Flash (CF card) |
| I/o ports | USB | 6 x USB 2.0 | |
| | Serial | 4 x RS-232 by RJ-45 (all support 5V / 12V) | 4 x RS-232 by RJ-45 (2x support 5V / 12V) |
| | Parallel | 1 x LPT with adaptor cable | |
| | PS/2 | 1 x Keyboard / 1 x Mouse with adapter cable | |
| | Lan | 1 x RJ45, 10/100/1000 base-t | |
| | Display | 1 x VGA with optional adaptor cable | |
| | Audio | 1 x Earphone, 1 x Microphone | |
| | Cash Drawer | 12V /24V, by adaptor cable (RJ12) | N/A |
| | MSR | standard by USB | |
| | VFD | COM 1 | COM 5 |



| | | |
|------------------------------|-------------------------------------|------------------------|
| Power adapter | 12V 6.67A 80W | |
| Dimension | 293(W)X299(L)X173(H)mm | 358(W)X367(L)X173(H)mm |
| Operation temperature | 0~40 degree C at 10%~80% humidity | |
| Storage temperature | -20~60 degree C at 10%~80% humidity | |
| Compliance | ROHS, FCC, CE and LVD certificate | |

Options

-  **MSR card reader:** triple tracks MSR card reader
-  **Wi-Fi function.**  **15" ELO Touch** **SSD**
-  **VFD customer display:** 2 lines x 20 characters

Other Atom related systems PP/ PT/ PR/ PZ series Technical Specifications

| | | |
|-------------------|--|--|
| Display | 10" TFT with touch | 15" TFT with touch |
| Main board | CPU | Intel Atom D525 1.8 Ghz Dual Core or N2800 1.86Ghz Dual Core Fanless |
| | I / O ports | 4 x RS-232 with RJ-45 connector, 6x USB 2.0, 1x LPT with adaptor cable, 1 x RJ45 10/100/1000 base-t, 1 x VGA, (1 x cash drawer Port) |
| Options | Desk-top stand , Triple tracks MSR reader, VFD customer display, 15" ELO touch, WiFi | |



OEM

Private label project
or OEM project are
welcome.

You Are Kindly Invited To Join Us Either Distribution
Or Private Label Or Custom-made Projects.
Small NRE Charges And MOQ Required



Custom-made

Birch offer more flexible
policy to support you to have
custom-made models to
meet your personalized
applications with small NRE
charge and small MOQ
required.

BIRCH® www.birch.com.tw

BIRCH TECHNOLOGY INC. 7F-13, No. 79, Hsin Tai 5th Road, Sec 1, Hsichih Dist, New Taipei City, Taiwan
<http://www.birch.com.tw> e-mail: sales@mail.birch.com.tw Tel: +886-2-2698-9596 Fax: +886-2-2698-9597

CARISMA™ is a trade mark of BIRCH Technology Inc.
All other products, brands of companies are trademarks or registered trademarks of their respective companies.